

HOLO-KROME[®]

WHEN IT MATTERS MOST[™]



Critical Application Fasteners



WHEN FAILURE IS NOT AN OPTION

***OUT-PERFORMS
The Competition***

***UNSURPASSED
Product Quality***

***RECOGNIZABLE
Around The World***



www.HOLO-KROME.com

85 YEARS AND HOLDING STRONG

HOLO-KROME® has been at the forefront of fastener innovation since our founding in 1929. Over the years, we've pioneered cold-forging techniques that result in products virtually free of bursts, cracks, tears and fractures, offering superior holding strength and fatigue resistance.

Today, our tradition of quality continues at our 200,000 square-foot facility in Wallingford, Connecticut, where we manufacture more than 100 million parts a year, each one proudly made in the USA.

With state-of-the-art cold heading and heat treatment equipment, unmatched product traceability through our HOLO-CODE head markings, and experienced operators who "own" their production jobs from raw material to shipped product, HOLO-KROME remains the fastener of choice for manufacturing processes, heavy equipment and safety-critical applications – when failure is not an option.


THE HOLO-KROME® PRODUCT ADVANTAGE

Quality: Through superior cold forming expertise and proprietary processing, HOLO-KROME offers socket heads that better withstand the rigors of heavy industrial and critical application.

Consistency: Every socket head is manufactured using consistent processes and superior engineered specifications.

Cost Savings: HOLO-KROME socket heads offer user-friendly design features to reduce cost during assembly. Example features include knurled heads, chamfered sockets, and consistent installation torque.

- ISO 9001:2008 Certified
- Holo-Code Traceability
- Limited raw material suppliers to ensure the right chemistry
- RoHS Compliant
- QSLM Class 2 Approved
- DFARS Compliant
- Technical engineering staff to answer your questions
- CAD drawing online
- 98% fill rates



CUSTOM, MADE-TO-ORDER PARTS

Holo-Krome is capable of producing per-print and reverse-engineered parts with shortened lead times.

Additionally, our diverse network of manufacturing locations allows us to accommodate virtually any fastener/bolt need from #0 to 6" in diameter. Specialties include:

Hot Forging /Threading
Parts with unusual contour
EDM & Water Jet Cutting
Drive styles including Torx, 6-lobe, slotted, hex, square
Recess bore up to 2 x diameter in depth

Grade 9 Hex Heads & Ferry Cap Screws
Exotic configurations
Multi-function turning
Two or more outside diameters

Is your special part a good fit for one of our facilities?

Contact us today: 800-879-6205 Option 4 or E-mail rfq@holo-krome.com



HOLO-KROME® PRODUCT OFFERINGS

SOCKET HEAD CAP SCREWS

ALLOY STEEL

- Heat treated alloy steel
- SAE sizes from #2 - 1-1/2 (coarse) and #0 - 3/4" (fine)
- Metric sizes from M2 - M36



STAINLESS STEEL

- Non-heat treated 304 stainless
- SAE sizes from #2 - 1/2"
- Metric sizes from M3 - M6
- Coarse/fine thread



ZINC AND CLEAR CHROMATE

- Decorative flash plate
- SAE sizes from #4 - 5/8"
- Metric sizes available

LOW HEAD SOCKET CAP SCREWS

- Heat treated alloy steel
- SAE sizes from #8 - 1/2"
- Metric sizes from M4 - M16
- Coarse/fine thread



FLAT HEAD SOCKET CAP SCREWS

- Heat treated alloy steel
- SAE sizes from #4 - 3/4"
- Metric sizes from M3 - M16
- Coarse/fine thread



BUTTON HEAD SOCKET CAP SCREWS

- Heat treated alloy steel
- SAE sizes from #4 - 5/8"
- Metric sizes from M3 - M12
- Coarse/fine thread



SOCKET SET SCREWS (CUP POINT / HOLO-KNURL)

- Heat treated alloy steel
- Cup point sizes from #4 - 1"
- Holo-Knurl sizes from #4 - 1/2"
- Coarse/fine thread
- Cone/oval/(half/full)dog/round/flat available as special



SOCKET SHOULDER SCREWS

- Heat treated alloy steel
- SAE sizes from 1/4" - 3/4"
- Metric sizes from 6mm - 16mm



DOWEL PINS

- Black lustre finish
- SAE sizes from 1/8" - 1"
- Metric sizes from 3mm - 20 mm
- Oversize from 1/8" - 1/2"
- Bright finish special orders available



PULL DOWELS

- Heat treated alloy steel
- SAE sizes from 5/16" - 1"
- 8 RMS bright micro-inch finish



ALLEN NUTS®

- Alloy steel hardened & tempered to HRC 33-39
- SAE sizes from #4-40 - #1-14
- Coarse/fine thread



STAINLESS STEEL ALLEN NUTS®

- Austenitic stainless
- SAE sizes from #4-40 - 3/8-16
- Coarse/fine thread



SOCKET JAM SCREWS

- Heat treated alloy steel
- SAE sizes from #4 - 1"

SOCKET PRESSURE PLUGS

DRYSEAL (NPTF 3/4 TAPER)

- SAE sizes from 1/16" - 1-1/4"

FLUSH (PTF 7/8 TAPER)

- SAE sizes from 1/16" - 3/4"



STAINLESS STEEL

- Austenitic stainless steel
- NPTF 3/4 taper
- SAE sizes including 1/8" and 1/4"

BRASS

- PTF 7/8 taper
- Commercial brass lead free compliant
- SAE sizes from 1/16" - 3/4"



USA: 800.879.6205

Europe: +31(0)78.652.4145

www.HOLO-KROME.com

